



Kenwood Telecom was founded in 1980 and brings over 40 years of excellence and expertise to our customers. With decades of practical experience and worldwide manufacturing capabilities, we can support your efforts efficiently and cost effectively.

Whether you require a standard bill of materials, long-term project support, streamlined processes, innovative designs or custom engineered solutions, Kenwood Telecom's extensive capabilities provide the precision fabrication and high capacity output to support all of your needs.

Kenwood Telecom's goal is 100% customer satisfaction. Our commitment is to produce materials and provide services that exceed our customer's expectations and to continue to bring great products to the wireless industry.

Thank you for your business.

KENWOOD TELECOM

3431 NOVIS POINTE, ACWORTH, GA 30101

888-439-0500 OFFICE • 770-974-5100 FAX

WWW.KENWOODTELECOM.COM

SALES@KENWOODTELECOM.COM


Sector Frames


- Guyed and Self-Support antenna mounts
- Designed for today's heavy loads
- All round member frames
- Easy taper and azimuth adjustment
- 8ft, 10ft, 12ft and 14ft face available
- Most common mount for T-Mobile listed below


Fits Leg:

Round 1-1/2in OD to 8-1/2in OD Leg 60 Degree Angle 2in to 8-1/2in Leg 90 Degree Angle 2in to 6in Leg

Each frame comes standard with two tie back arms and all necessary crossover kits to mount 2-7/8in







Part Number	Description
T1671KTV10	Sector Frame 3ft Stand Off 10.5ft Face, No Mast Pipes Included
T1671KTV12	Sector Frame 3ft Stand Off 12.5ft Face, No Mast Pipes Included
T1671KTV12-4120	Sector Frame 3ft Stand Off 12.5ft Face, (4)10ft Mast Pipes
T1672KTV12	Sector Frame 3ft Stand Off 12.5ft Face HD, No Mast Pipes Included
T1672KTV12-4120	Sector Frame 3ft Stand Off 12.5ft Face HD, (4)10ft Mast Pipes
1207211112 1220	200001 Tallie 310 Stalla 311 12:310 Tabe 1:12) (1/12:10 1:10001 1:pcs







T1704KT6A

T1704KT3A

T1342KT

Part Number	Description
T1342KT	Pipe Mount, 4-1/2in pipe, HD, Mounts to Round Member up to 5in OD
T1344KT	Pipe Mount, 4-1/2in pipe, HD, Mounts to Round Member up to 12in OD
T1704KT3A	Microwave Dish Mount, 2ft Stand-off
T1704KT6A	Pipe Mount, Taper Adjustment, 0-6 degree
T1704KTL6A	Pipe Mount, Taper Adjust Large Leg HD 16in OD
P1500KT6	Pipe 4-1/2in OD x 6ft HDG Grade B/C
P1500KT8	Pipe 4-1/2in OD x 8ft HDG Grade B/C

- For severe azimuths on tapered leg, pipe mount, taper adjustment may be needed.
- For large legs purchase large leg pipe mount, taper adjustment above.

Straight Leg Circle Mounts


- Guyed and straight tower antenna mount
- Purchase with or without reinforcement
- Curved square tube design allows for ease of installation
- Includes mounting hardware for 2-3/8in and 2-7/8in OD mast pipe 90 Degree Angle 2in to 6in
- Pipes purchased separately

Fits Leg:

Round 1-1/2in OD to 8-1/2in OD

60 Degree Angle 2in to 8-1/2in

Face width up to 60in only



Part Number	Description
T1515KT-G	Circle platform, Guyed, w/ support rail, includes hardware for (12) 2-3/8in OD
T1515KTR-G	Circle Platform, Guyed, w/ support rail and reinforcement kicker - 12.7ft OD
P1000KT10.5	Pipe HSS 2-3/8in OD x .15 wall thickness, A500/B
P1090KT10	Pipe HSS 2-7/8in OD x .203 wall thickness, A500/B

Reinforcement Kit

- Single or double reinforcement kit available
- 52in or 72in long support angles
- Attaches to both round and angled members

Fits Leg:

Round 1-1/2in OD to 8-1/2in OD 60 Degree Angle 2in to 8-1/2in 90 Degree Angle 2in to 6in



Z2026KTSST T1730KT-M Z2026KTRL

Part Number	Description
Z2026KTSST	Stabilizer Kit for Sector Frame/Stand-off Arm Self-Supporting Tower
Z2026KTR	Double Sector Frame Reinforcement Kit
Z2026KTLSST	Stabilizer Kit for Sector Frame/Stand-off Arm Self-Supporting Tower, Long Version
Z2026KTRL	Double Sector Frame Reinforcement Kit, Long
T1730KT-M	Stabilizer/Support Assembly for Existing Monopole Mounts 10-48in OD



Part Number	Description
T1325KT12	Universal Stiff Arm & Hardware Kit with 2-3/8in x 12.5ft pipe
T1325KT16	Universal Stiff Arm & Hardware Kit with 2-3/8in x 16ft pipe
T1326KT12	Universal Stiff Arm & Hardware Kit with 2-3/8in x 12.5ft pipe K1004KT style crossovers
T1307KTL	Universal Stiff Arm Kit - Up to 16in OD, pipe sold separately

Patented Snub Nose Antenna Mount

- Patented antenna mount
- Unique design allows for multiple azimuths
- Corner mount can hold two antenna or one in the center
- Fits monopole 10-48in OD
- Purchase adapter ears separately for up to 60in OD



T1507KTHD-39120-M-H




T1516KT-12120-MH

Part Number	Description
T1507KTHD-39120-M-H	Heavy duty square face snub with support rail and (9) 2-7/8in x 120in mast pipe
T1507KTHD-996C9-M-H	Heavy duty square face snub with support rail and (9) 2-7/8in x 96in mast pipe
T1516KT-12120-MH	Snub-nose platform (12) 2-3/8in OD x 10.5ft pipes, 10-48in collar and support rail
T1516KT-1296-MH	Snub-nose platform (12) 2-3/8in OD x 8ft pipes, 10-48in collar and support rail
T1516KT-9126-MH	Snub-nose platform (9) 2-3/8in OD x 10.5ft pipes, 10-48in collar and support rail
T1516KT-996-MH	Snub-nose platform (9) 2-3/8in OD x 8ft pipes, 10-48in collar and support rail

Platform Mounts

- 12ft Standard Platform with support rail
- Three and four sided options
- Fits Monopole 10-48in OD
- Purchase adapter ears separately for up to 60in OD




Part Number	Description
T1512KT12H-M-H3	Platform Assembly Heavy Duty with 12ft square tube face 2-7/8ft
	support rail 10-48in ring mount 12 pipe mount kits
T1512KT12H-123120-M-H3	Platform Assembly, Heavy Duty, 12ft Sq Tube Face w/ Support Rail (12)
	2-7/8in x 10ft Mast Pipe, includes 10-48in OD collar
T1510KT12BR-312120-M-H3	Platform Assembly, Pipe Face (12) 2-7/8in x 10ft Mast Pipe, Support
	Rail, Ring Mount Stabilizer, includes 10-48in OD collar
T1517KTR12-312120-H-S	Quad Platform 12ft Square Tube Face (12) 96in x 10ft Mast Pipes with
	10-48in collar & Support Rail and Reinforcement Kit
T1517KT12-312120-H-S	Quad Platform 12ft Square Tube Face (12) 96in x 10ft Mast Pipes with
	10-48in collar & Support Rail
T1541KT12H-M-H3	Platform Assembly, Heavy Duty, 12ft Square Tube Face w/ 2-7/8in OD
	with Support Rail and 10in-48in Ring Mount
T1542KT12XS-M-H35	Platform Assembly, Extra Heavy Duty, 12ft Square Tube Face w/ 3-1/2in OD
	with Support Rail and 10in-48in Ring Mount


Circle Mount

- Monopole antenna mount
- Purchase with or without reinforcement
- Curved square tube design allows for ease of installation
- Includes mounting hardware for 2-3/8in and 2-7/8in OD mast pipe
- Pipes purchased separately

Fits Monopole:

Fits Monopole 10-48in Purchase adapter ears separately for up to 60in OD






Part Number	Description
T1515KT-H-M	Circular platform with support rail, for up to 48in diameter poles
T1515KTR-H-M	12.7ft Circle Platform Monopole w/ Reinforcement
P1000KT10.5	Pipe 2-3/8in OD x 10.5ft Sch 40 A500/B 50 ksi min Yield HDG
P1090KT10	Pipe 2-7/8in OD x 10 L HDG A500/B Sch 40 50 ksi min yield

T-Arm Mount

- Three and Four Sided Double T-Arm
- Ideal for Monopine Applications
- Fits Monopole 10-48in
- Purchase adapter ears separately for up to 60in OD




T1720KT236-1296-2M




T1723KT236-12396

Part Number	Description
T1720KT218-996	18in Double T-arm Assembly with (9) 2-3/8in x 8ft Mast Pipes, 8ft face
T1720KT218-996C	18in Double T-arm w/ (9) 2-7/8in x 8ft Mast Pipes, 8ft face
T1720KT218-39120	18in Double T-arm w/ (9) 2-7/8in x 10ft Mast Pipes, 8ft face
T1720KT236-1296-2M	36in Double T-arm Assembly w/ (12) 2-3/8in x 8ft Mast Pipes, 12.5ft face, 10-48in collar
T1723KT218-1296	18in Double T-Arm Assembly Quad Mount w/ (12) 2-3/8in x 8ft Mast Pipes, 10.5ft face
T1723KT218-312120	18in Double T-Arm Assembly Quad Mount w/ (12) 2-3/8in x 10ft Mast Pipes, 10.5ft face
T1723KT236-12396	36in Double T-Arm Assembly Quad Mount w/ (12) 96in x 2-7/8 Mast Pipes, 12.5ft face
T1723KT236-163120	36in Double T-Arm Assembly Quad Mount w/ (16) 96in x 2-7/8 Mast Pipes, 12.5ft face
T1760KT16-63120-2M	16in Double T-Arm Assembly w/ (6) 2-7/8in Mast Pipe



Part Number	Description
T1309MT12	Stand-off Bracket, 12in, 2-3/8in x 70in antenna pipe
T1309MT12-96	Stand-off Bracket, 12in, 2-3/8in x 96in long antenna pipe
T1309MT12-120	Stand-off Bracket, 12in, 2-3/8in x 120in long antenna pipe
T1309MT24	Stand-off Bracket, 24in, 2-3/8in x 70in antenna pipe
T1309MT36-96	Stand-off Bracket, 36in, 2-3/8in x 96in long antenna pipe


Crossovers & Pipes



T1709KT10A



K7940KT14-2




K1004KT1

Part Number	Description
T1709KTA	Pipe mount crossover kit 2-3/8in-2-3/8in. Kit of two. (U-Bolts)
T1709KT1A	Pipe mount crossover kit 2-3/8in-2-7/8in. Kit of two. (U-Bolts)
T1709KT10A	Pipe mount crossover kit 2-7/8in-3-1/2in. Kit of two. (Half-Clamps)
T1709KT2A	Pipe mount crossover kit 2-3/8in-3-1/2in. Kit of two. (U-Bolts)
P1000KT12.5	Pipe 2-3/8in OD x 12.5ft HDG A500/B Sch 40 50 ksi min yield
P1000KT8	Pipe 2-3/8in OD x 12.5ft HDG A500/B Sch 40 50 ksi min yield
P1000KT9	Pipe 2-3/8in OD x 9ft HDG A500/B Sch 40 50 ksi min yield
P1090KT8	Pipe 2-7/8in OD x 8ft HDG A500/B Sch 40 50 ksi min yield
P1090KT9	Pipe 2-7/8in OD x 9ft HDG A500/B Sch 40 50 ksi min yield
P1200KT12.5	Pipe 3-1/2in OD x 12.5ft HDG A500/B Sch 40 50 ksi min yield
P1200KT14	Pipe 3-1/2in OD x 14ft HDG A500/B Sch 40 50 ksi min yield
P1200KT8	Pipe 3-1/2in OD x 12.5ft HDG A500/B Sch 40 50 ksi min yield
P1200KT9	Pipe 3-1/2in OD x 9ft HDG A500/B Sch 40 50 ksi min yield
K1004KT1	Crossover clamp kit 2-3/8in x 2-3/8in
K7940KT14-2	Kit of (2) 1/2in diameter U-Bolts with (4) nuts, flats, locks

H-Frames


- Standard pipe size is 3-1/2in OD direct burial pipe or footed
- Includes all necessary mounting hardware and pipe caps
- Custom pipe lengths, rack widths, and surface mounts available upon request



Part Number	Description
T1701KT3D-314	Two sided H-frame 3 level 14ft Burial
Z1701KT5-14	Custom H-frame with 5 rails with 14ft posts
P8810KTA	Pipe shoe for 3.5in pipe
T3448KT14	48in wide ice bridge canopy, 2 posts, no trapeze
T3448KT314	48in wide ice bridge canopy, 3 posts, no trapeze
T3411KTA	24in Icebridge Horsehead Kit

Roof Frames


- Non-penetrating frames with 10ft or 12ft face
- Concrete blocks can be used as ballast to secure the frame, purchased elsewhere
- Roof frames may be purchased with or without antenna pipes as detailed in the kits below
- Rubber mats (T9950KT) sold separately




T9950KT

Part Number	Description
T1910KT10X	Rooftop Mount 10ft x 10ft, 10ft Angle Face
T1910KT12X	Rooftop Mount 10ft x 10ft, 12ft Angle Face
T1910KTP12	Rooftop Mount 10ft x 10ft, 12ft Pipe Face
T9950KT	Rubber Mat 3/8in x 18in x 48in (10mm thick)









Part Number	Description
T3424KT10-1	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 10-1/2ft, direct burial. TRAPEZE: (3) channel type, 1-level. Complete kit. Includes all installation hardware.
T3424KT10-2	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 10-1/2ft, direct burial. TRAPEZE: (3) channel type, 2-level. Complete kit. Includes all installation hardware.
T3424KT10-3	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 10-1/2ft, direct burial. TRAPEZE: (3) channel type, 3-level. Complete kit. Includes all installation hardware.
T3424KT14-1	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 14ft, direct burial. TRAPEZE: (3) channel type, 1-level. Complete kit. Includes all installation hardware.
T3424KT14-2	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 14ft, direct burial. TRAPEZE: (3) channel type, 2-level. Complete kit. Includes all installation hardware.
T3424KT14-3	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 14ft, direct burial. TRAPEZE: (3) channel type, 3-level. Complete kit. Includes all installation hardware.
T3424KT14-3C	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (2) 3-1/2in OD x 14ft, direct burial. TRAPEZE: (3) center mount type, 3-level. Complete kit. Includes all installation hdw.
T3425KT10-1	Icebridge Kit. GRATING: 24in x 10ft, POSTS: (4) 3-1/2in OD x 10-1/2ft, direct burial. TRAPEZE: (3) channel type, 1-level. Complete kit. Includes all installation hardware.
T3425KT14-1	Icebridge Kit. GRATING: 24in x 14ft, POSTS: (4) 3-1/2in OD x 10-1/2ft, direct burial. TRAPEZE: (3) channel type, 1-level. Complete kit. Includes all installation hardware.

Icebridge Support









P8810KTA

Part Number	Description
T3803KT3	Center Mount Trapeze Kit for 24in wide, 3-Level
T3810KT1A	Channel Style Trapeze Kit for 24in wide, 1 Level
T3810KT2A	Channel Style Trapeze Kit for 24in wide, 2 Level
T3810KT3A	Channel Style Trapeze Kit for 24in wide, 3 Level
T3900KT10	Gripstrut 2in x 24in x 10ft 14 gauge
T3900KT12	Gripstrut 2in x 24in x 12ft 14 gauge
P1200KT14	Pipe 3-1/2in OD x 14ft HDG A500/B Sch 40 50 ksi min yield
P8000KT3.5	Pipe cap for 3-1/2in OD pipe HDG
P8809KT	Diamond Floor Plate 30 x 52 x 3/16in HDG
P8810KTA	Pipe Shoe for 3-1/2in Pipe (bolt on style)

Waveguide Ladder



Part Number	Description
T3501KT12-4J	Waveguide Ladder, 10ft, 4 runs 12in wide, including attachment hardware
T3501KT18-6J	Waveguide Ladder, 10ft, 6 runs 18in wide, including attachment hardware
T3500KT12-4J	Waveguide Ladder, 20ft, 4 runs 12in wide, including attachment hardware
T3500KT18-6J	Waveguide Ladder, 20ft, 6 runs 18in wide, including attachment hardware

Plastic Hangers











Т	u	12	X	n	K-	Г1	\mathbf{n}	1	Л
- 1	J	J	o	v	1/		·		_

T9122MT38P

T9108KT

T9380KT-ISO

Part Number	Description	UOM	Weight
T9108KT	Poly Snap-in Hang Adapter 3/4in Hole P10	Kit of 10	0.275
T9109KT	Poly Multi-Func Adapt SnapTak P10 3/4 Hole 3/8 or 1/2 Bolt	Kit of 10	0.331
T9380KT47	Poly SnapTak Adjust Cable Hang 4-7 mm	Kit of 10	1.19
T9380KT710	Poly SnapTak Adjust Cable Hang 7-10 mm	Kit of 10	1.19
T9380KT1014	Poly SnapTak Adjust Cable Hang 10-14 mm	Kit of 10	1.19
T9380KT1416	Poly SnapTak Adjust Cable Hang 14-16 mm	Kit of 10	1.19
T9105MTP	Polymer Univ Angle Adapter 3/4in Hole	Kit of 10	0.331
T9380KT-ISO	Poly SnapStak PIM Isolator	Kit of 10	0.331
T9122MT38P	Three Hole Composite Snap-in Hanger Adapter (P10)	Kit of 10	0.595

Tie Wraps and Hook & Loop





Part Number	Description	UOM	Weight
T9757KT	1/2in x 18in, black UV stabilized	Pack of 25	0.8
T9900KT16P	PIM Acetal Strap 16in	Pack of 50	0.25
T9900KT27P	PIM Acetal Strap 27in	Pack of 25	0.125
T9900MT	Tie Wraps, 3/16in X 17in, black, UV resistant, .19W, 50 lbs	Pack of 100	0.5
T9901MT	Tie Wraps, 5/16in X 18in, black, UV resistant, 120 lbs	Pack of 100	0.5
M9010KT12-25	12in Hook & Loop Strap, Pack of 25	Pack of 25	0.12
M9010KT12-50	12in Hook & Loop Strap, Pack of 50	Pack of 50	0.24
M9010KT12-100	12in Hook & Loop Strap, Pack of 100	Pack of 100	0.48

Mini Cable Support

- Each block supports 2 cables and can be stacked 3 high
- Can be mounted anywhere 3/8in mounting hardware can be attached
- Durable, UV resistant polypropylene



Part Number	Description	UOM	Weight
T9461MT	For use with 1/2in corrugated	Kit of 10	1
T9467MT	For use with 7/8in corrugated	Kit of 10	1.2
T9460MT	For use with 1-1/4in corrugated	Kit of 10	1.4
T9462MT	For use with 1-5/8in corrugated or smooth wall	Kit of 10	1.8
T9464MT	For use with 2-1/4in corrugated	Kit of 10	3.3

Large Cable Support Blocks

- Each block supports 2 cables and can be stacked 3 high
- Can be mounted anywhere 3/8in mounting hardware can be attached
- Durable, UV resistant polycarbonate

Description	UOM	Weight
For use with 1/4in corrugated	Kit of 10	1
For use with 3/8in corrugated	Kit of 10	1.2
For use with 1/2in corrugated	Kit of 10	1
For use with 7/8in corrugated	Kit of 10	1.2
For use with 1-1/4in corrugated	Kit of 10	1.4
For use with 1-5/8in corrugated or smooth wall	Kit of 10	1.8
	For use with 1/4in corrugated For use with 3/8in corrugated For use with 1/2in corrugated For use with 7/8in corrugated For use with 1-1/4in corrugated	For use with 1/4in corrugated For use with 3/8in corrugated For use with 1/2in corrugated For use with 7/8in corrugated For use with 1-1/4in corrugated Kit of 10 Kit of 10 Kit of 10 Kit of 10

Hardware for Mini Coax Blocks

• (1) kit contains (10) 3/8in threaded rod and (30) nuts, lock washers, and flat washers

Galvanized Steel Hardware

Part Number	Description	UOM	Weight
T9919KT2GA	For stacking 2 coax blocks, 8in threaded rod, Galvanized	Kit of 10	2.6
T9919KT3GA	For stacking 3 coax blocks, 12in threaded rod, Galvanized	Kit of 10	3.2

Stainless Steel Hardware

Part Number	Description	UOM	Weight
T9919KT2A	For stacking 2 coax blocks, 8in threaded rod, SST	Kit of 10	2.6
T9919KT3A	For stacking 3 coax blocks, 12in threaded rod, SST	Kit of 10	3.2

Multi-run Snap-In Hangers

• Piggy-back 3 deep when using 1/2in or 7/8in cable

• Piggy-back 2 deep when using 1-1/4in or 1-5/8in cable

• Fits smooth wall or corrugated cable

Material: Stainless Steel





Part Number	Description	UOM	Weight
T9303AN12	For use with 1/2in Smooth or Corrugated Cable	Kit of 10	0.7
T9303AN78	For use with 7/8in Smooth or Corrugated Cable	Kit of 10	1.2
T9303AN114	For use with 1-1/4in Smooth or Corrugated Cable	Kit of 10	1.3
T9303AN158	For use with 1-5/8in Smooth or Corrugated Cable	Kit of 10	1.5
T9304AN1426	Hybrid Multi-Run Hanger, 14mm - 26mm, .55in - 1.02in	Kit of 10	0.67
T9304AN2536	Hybrid Multi-Run Hanger, 25mm - 36mm, .98in - 1.40in	Kit of 10	0.69
T9304AN3651	Hybrid Multi-Run Hanger, 36mm - 51mm, 1.40in - 2in	Kit of 10	1.1

Snap-In Hangers

• Fits smooth wall or corrugated cable

Material: Stainless Steel



Part Number	Description	UOM	Weight
T9362MT14	For use with 1/4in cable	Kit of 10	0.6
T9362MT38	For use with 3/8in cable	Kit of 10	0.7
T9362MT12	For use with 1/2in cable	Kit of 10	0.8
T9362MT58	For use with 5/8in cable	Kit of 10	1
T9362MT78	For use with 7/8in cable	Kit of 10	1.2
T9362MT114	For use with 1-1/4in cable	Kit of 10	1.3
T9362MT158	For use with 1-5/8in cable	Kit of 10	1.5
T9362MT214	For use with 2-1/4in cable	Kit of 10	1.7

Tek Clips

Designed to fit a wide range of cables in all weather climates. Commonly used on 1/2in Coax Cable and 208 Power Cable.

- Re-Usable
- Tool-less Design
- Multi-Use
- · No Flagging!







WEATHER PROOF Superior weather performance in all climate conditions: Rain, Snow, Heat & Cold



FLEXIBLE DESIGN
One size fits a range of
cable sizes & can be
placed over factory
labels. Easily
adjustable

Part Number	Description	UOM	Weight
T9526KT-BLU	TEK Clip, 1/2in, Blue (P100)	Each	0.405
T9526KT-BRN	TEK Clip, 1/2in, Brown (P100)	Each	0.405
T9526KT-GRN	TEK Clip, 1/2in, Green (P100)	Each	0.405
T9526KT-GRY	TEK Clip, 1/2in, Gray (P100)	Each	0.405
T9526KT-ORG	TEK Clip, 1/2in, Orange (P100)	Each	0.405
T9526KT-PNK	TEK Clip, 1/2in, Pink (P100)	Each	0.405
T9526KT-PUR	TEK Clip, 1/2in, Purple (P100)	Each	0.405
T9526KT-RED	TEK Clip, 1/2in, Red (P100)	Each	0.405
T9526KT-WHT	TEK Clip, 1/2in, White (P100)	Each	0.405
T9526KT-YEL	TEK Clip, 1/2in, Yellow (P100)	Each	0.405

Electrical Tape (Color)

Other colors available upon request.



Part Number	Description		UOM	Weight
T9525KT-YEL	Electrical Tape, 3/4in x 66ft, 7mil, Yellow		Each	0.1
T9525KT-RED	Electrical Tape, 3/4in x 66ft, 7mil, Red		Each	0.1
T9525KT-WHT	Electrical Tape, 3/4in x 66ft, 7mil, White		Each	0.1
T9525KT-PNK	Electrical Tape, 3/4in x 66ft, 7mil, Pink		Each	0.1
T9525KT-PUR	Electrical Tape, 3/4in x 66ft, 7mil, Purple		Each	0.1
T9525KT-GRN	Electrical Tape, 3/4in x 66ft, 7mil, Green		Each	0.1
T9525KT-ORG	Electrical Tape, 3/4in x 66ft, 7mil, Orange	2	Each	0.1
T9525KT-BRN	Electrical Tape, 3/4in x 66ft, 7mil, Brown		Each	0.1
T9525KT-GR	Electrical Tape, 3/4in x 66ft, 7mil, Gray		Each	0.1
T9525KT-BLK	Electrical Tape, 3/4in x 66ft, 7mil, Black		Each	0.1
T9525KT-BLU	Electrical Tape, 3/4in x 66ft, 7mil, Blue		Each	0.1

Notes





KENWOOD TELECOM

3431 NOVIS POINTE, ACWORTH, GA 30101

888-439-0500 OFFICE • 770-974-5100 FAX

WWW.KENWOODTELECOM.COM

SALES@KENWOODTELECOM.COM